RIONIZ

FINEST ARCHITECTURAL CONCEPT

60x120 cm

60x60 cm

COLLECTION2023/2024



RIONIZ








RIONIZ

Experience a New Teste , Shaped by Passion and Creativity

Our Sizes



60x120 cm | 60x60cm

Double Charge Vitrified Tiles

About Product

The creation of any beauty depends on the way that its creator sees it. Inspiration from nature, creating diversity in designs and surfaces. This feature brings creativity in design and boundless beauty. RIONIZ means variety in attitude



Palerma


Matt/Glass
600x1200 mm/600x600 mm

Light Grey



Grey

Cream



Palerma


Matt/Glass
600x1200 mm
600x600 mm


AVALABLE
SIZES IN CM

60x60|60x120

FACAS

60x120 : 4 face
60x60 : 8 face





600x600 mm



Marfil

Matt/Glass

600x1200 mm/600x600 mm

AVALABLE
SIZES IN CM

60x60 /60x120

FACAS

60x120 : 4 face
60x60 : 8 face



Marfil

Matt/Glass
600x1200 mm
600X600 mm

Light Grey

Cream

Morano

Matt/Glass
600x1200 mm/600x600 mm



Beige

Cream

Light Grey

AVALABLE
SIZES IN CM

60x60 60x120

FACAS

60x120 : 4 face
60x60 : 8 face

600x600 mm



Morano

Matt/Glass
600x1200 mm
600X600 mm



Grey



Marbla


Matt/Glass

600x1200 mm/600x600 mm










Marbla

Matt/Glass
600x1200 mm
600X600 mm



AVALABLE
SIZES IN CM

60x60 60x120

FACAS

60x120 : 4 face
60x60 : 8 face



Marina

Matt/Glass
600x1200 mm/600x600 mm


600x600 mm

Light Grey

Marina

Matt/Glass
600x1200 mm
600X600 mm

Bone





AVALABLE
SIZES IN CM

60x60 60x120

FACAS


60x120 : 4 face
60x60 : 8 face



Armani

Matt/Glass

600x1200 mm/600x600 mm




AVALABLE
SIZES IN CM

60x60 /60x120

FACAS

60x120 : 4 face
60x60 : 8 face







Armani

Matt/Glass
600x1200 mm
600X600 mm









Nova Stone

Matt/Glass
600x1200 mm/600x600 mm

600x600 mm

Cream

Grey

Marbla

Matt/Glass
600x1200 mm
600x600 mm



AVALABLE
SIZES IN CM

60x60 60x120

FACAS

60x120 : 4 face
8 face



Pilaro

Matt/Glass
600x1200 mm/600x600 mm



Pilaro


Matt/Glass
600x1200 mm
600x600 mm

AVALABLE
SIZES IN CM

60x60 60x120


FACAS

60x120 : 4 face
60x60 : 8 face





600x600 mm



Gold



Grey







Namila

Matt/Glass
600x1200 mm/600x600 mm

Light Grey

Grey

Cream

Namila

Matt/Glass
600x1200 mm
600x600 mm

AVALABLE
SIZES IN CM


60x60 /60x120

FACAS

60x120 : 4 face
60x60 : 8 face



600x600 mm




Lamia

Matt
600x600 mm

Cream

Light Grey





Lamia


Matt/Glass
600x1200 mm
600x600 mm

AVALABLE
SIZES IN CM

60x60|60x120

FACAS

60x120 : 4 face
60x60 : 8 face





600x600 mm


Amiron
Matt/Glass
600x1200 mm/600x600 mm







Light Grey

Amiron

Matt/Glass

600x600 mm

FACAS

60x60 : 4 face



Cream



Calacatta Oltra

Matt/Glass
600x1200 mm/600x600 mm





Calacatta Oltra

Matt/Glass
600x600 mm

FACAS

60x60 : 5 face




Batomi
Matt/Glass
600x1200 mm/600x600 mm

Light Grey



Cream

Batomi

Matt/Glass
600x600 mm

FACAS
60x60 : 7 face

Grey

Beige




Metalico

Matt/Glass
600x1200 mm/600x600 mm









Cream



Grey


Metalico

Matt/Glass


600x600 mm

FACAS

60x60 : 6face



Dehbid
Nachral
Matt/Glass
600x1200 mm/600x600 mm



Dehbid Nachral

Matt/Glass
600x600 mm

FACAS

60x60 : 4 face


Cream

Light Grey



Calacatta Tunder

Matt/Glass
600x1200 mm/600x600 mm




Calacatta Tander

Matt/Glass
600x600 mm

FACAS

60x60 : 8 face



Atashkuh

Matt/Glass

600x1200 mm/600x600 mm



Atashkuh

Matt/Glass
600x600 mm

FACAS
60x60 : 4 face

Cream

Light Grey


Concrete
Matt/Glass
600x1200 mm/600x600 mm

Grey



Cream

Beige

Concrete

Matt/Glass
600x600 mm

FACAS
60x60 : 4 face

Light Grey

Garnio

Matt/Glass
600x1200 mm/600x600 mm



Garnio

Matt/Glass
600x600 mm

FACAS
60x60 : 4 face

Cream

Grey

Unigue Stone

Matt/Glass

600x1200 mm/600x600 mm



Unique Stone

Matt/Glass

600x600 mm

FACAS

60x60 : 4 face

Cream

Light Grey


Masala
Matt/Glass
600x1200 mm/600x600 mm

Beige



Grey

Cream

Masala

Matt/Glass
600x600 mm

FACAS
60x60 : 4 face

Light Grey

RIONIZ

NOTE

Technical Specifications

TILE PROPERTIES	WALL TILES	FLOOR TILES
LENGTH AND WIDTH	ISO 10545-2 | ± 0.2%	ISO 10545-2 | ± 0.2%
THICKNESS	ISO 10545-2 | ± 5%	ISO 10545-2 | ± 5 %
SURFACE QUALITIES CENTRE CURVATURE: EDGE CURVATURE: WARPAGE:	COMPLY,95% OF TILES FREE FROM DEFECTS ISO10545-2 +0.4 % TO -0.2% ISO10545-2 +0.4 % TO -0.2% ISO 10545-2 | ± 0.3%	COMPLY,95% OF TILES FREE FROM DEFECTS ISO 10545-2 | ± 0.3% ISO 10545-2 | ± 0.3% ISO 10545-2 | ± 0.3%
SIDES QUALITIES STRAIGHTNESS OF SIDES: RECTANGULARITY / WEDGING:	 ISO 10545-2 | ±0.3% ISO 10545-2 | ±0.4%	 ISO 10545-2 | ±0.3% ISO 10545-2 | ± 0.3%
WATER ABSORPTION	ISO 10545-3 | 14% TO 17%	ISO 10545-3 | 6% TO 10%
BREAKING STRENGTH	ISO 10545-4 | MIN , 600 N	ISO 10545-4 | MIN , 1000 N
MODULUS OF RUPTURE	ISO 10545-4 | MIN , 15 N/MM^2	ISO 10545-4 | MIN , 22 N/MM^2
RESISTANCE TO CRAZING	ISO 10545-11 | COMPLY	ISO 10545-11 | COMPLY
RESISTANCE TO THERMAL SHOCK	NOT REQUIRED	ISO 10545-9 | COMPLY
RESISTANCE TO ABRASION	NOT REQUIRED	ISO 10545-7| CLASS 1~ 2
SLIPPERINESS FACTOR	NOT REQUIRED	SS 485; 2001 | DRY ONLY
RESISTANCE TO STAINING	ISO 10545-14| COMPLY	ISO 10545-14| CLASS 3
CHEMICAL RESISTANCE TO LOW CONCENTRATION OF ACIDS AND ALKALI : HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS:	 ISO 10545-13| COMPLY ISO 10545-13| COMPLY	 ISO 10545-13| CLASS A ISO 10545-13| CLASS A

6818319888
Made in Iran

ISO 10002:2018 ISO 45001:2015 ISO 14001:2015 ISO 9001:2015 NABCB IQC IAF

RIONIZ

COLLECTION2023/2024